

BOOTH COATING 1780 --

Section 1. Supplier Information



General Chemical Corp.

12336 Emerson Drive
Brighton, MI 48116
(248) 587-5600

Emergency Telephone: 1-800-424-9300

Section 2. Hazardous Ingredients

<u>Hazardous Component(s)</u>	<u>CAS #</u>	<u>PEL TWA</u>	<u>PEL Ceiling</u>	<u>TLV TWA</u>	<u>TLV STEL</u>	<u>MFG Limits</u>	<u>WGT %</u>
Acrylic polymer	Proprietary	N/E	N/E	N/E	N/E	N/E	< 20

N/A = Not Applicable; N/E = Not Established; * = Mists; # = Skin; ' = Respirable Dust; " = Total Dust; ^ = Vapor; ** = Fumes; C = Ceiling Limit

All components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory and the Canadian Domestic Substances List (DSL), or are exempt from the listing.

Section 3. Hazards Identification

Primary Routes of Entry

Inhalation: YES
Skin: YES
Ingestion: YES

Hazardous Materials Information System (HMIS) Ratings

Health: * 1
Fire: 0
Reactivity: 0
0 = Minimal
1 = Slight
2 = Moderate
3 = Serious
4 = Severe
* = Chronic Hazard

Signs of Symptoms of Exposure:

INHALATION: Vapors are irritating to the nose, throat, and respiratory tract, and may produce headache and nausea in areas of poor ventilation.

SKIN: Prolonged or repeated contact can cause irritation.

EYES: Minimally irritating to the eyes. High vapor concentrations may be irritating.

INGESTION: Ingestion of large amounts causes gastric disturbances. Nausea and vomiting may result.

Chemical Listed as Potential Carcinogens:

NTP: NO

IARC: NO

OSHA: NO

Target Organs: Skin, eyes, respiratory tract, and gastrointestinal

Section 4. Emergency And First Aid Procedures

INHALATION: If adverse effects such as dizziness, nausea, or irritation are noted, move person to fresh air. If not breathing, give artificial respiration. Get medical attention!

SKIN: Immediately wash skin with large amounts of soap and water. Remove contaminated

BOOTH COATING 1780 --

clothing and shoes; wash before reuse. Get medical attention if irritation persists after washing.

EYES: Flush eyes immediately with water for at least 15 minutes. If irritation persists, call a physician.

INGESTION: DO NOT INDUCE VOMITING! Contact a physician immediately!

Section 5. Fire Fighting Measures

Flash Point: None to boiling. Method Used: Pensky-Martens Closed Cup

Flammable Limits in Air % by Volume: LEL: N/E UEL: N/E

Extinguisher Media: Water fog, foam, carbon dioxide, or dry chemical.

Special Fire Fighting Procedures: Wear a self-contained breathing apparatus when fighting fire in an enclosed area.

Unusual Fire And Explosion Hazards: Product may spatter if temperature exceeds 212 °F. Dried solids can burn, producing carbon monoxide and carbon dioxide.

Section 6. Accidental Release Measures

If material is spilled, absorb with sand, earth, or similar inert material. Place in closed, labeled containers for proper disposal.

CERCLA (Superfund) Reportable Quantity (in lbs None in attainable quantities.

Section 7. Handling and Storage

Handling: Avoid contact with skin and eyes; wash thoroughly after handling. Avoid breathing vapor; use with adequate ventilation.

Storage: Store in a dry location at room temperature. Keep container closed and maintain all original markings and labels.

Other: Do not reuse container without recycling or reconditioning. Handle empty containers as if they were full.

Section 8. Exposure Controls and Personal Protection

Respiratory Protection: Use NIOSH / MSHA approved respirator where high vapor or mist concentrations are present.

Local Exhaust: None normally required. Local exhaust may be needed under special circumstances such as poorly ventilated areas, evaporation from large surfaces, spraying, heating, etc.

Mechanical Exhaust: Mechanical ventilation should be sufficient to maintain exposure levels below exposure limits.

Protective Gloves: Wear chemical resistant gloves.

Eye Protection: Safety glasses with side shields. Do NOT wear contact lenses. Chemical goggles and/or faceshield should be worn where splashing is possible.

Other Protection: Eye wash and safety shower should be readily available.

Hygienic Practices: Protective equipment and clothing should be selected, used and maintained according to applicable standards and regulations. For further information, contact the clothing or equipment manufacturer. Do not eat, drink, or smoke while using this product. Wash hands prior to eating, drinking, smoking, or using restrooms. Cleanse skin thoroughly after contact, before breaks and meals, and at the end of the work shift.

BOOTH COATING 1780 --

Section 9. Physical and Chemical Properties

Boiling Point:	212 °F (initial)	Degree of water solubility:
Specific Gravity (H ₂ O=1):	1.01-1.02	Negligible = Less than 0.1%
Vapor Pressure (mm Hg):	Similar to water.	Slight = 0.1% - 1%
Vapor Density (air=1)	Similar to water.	Moderate = 1% - 10%
Solubility in Water:	Complete.	Appreciable = More than 10%
Reactivity in Water:	None.	Complete = 100%
Weight per Gallon (lb/gal):	8.3 - 8.5 lbs/gal	
% Volatile by Volume:	> 98%	
% Solid by Weight:	< 2%	
Appearance and Odor:	Clear to slightly translucent liquid with a mild odor.	
Theoretical VOC: (>0.1 mm Hg @ 20 ° C)	0 lbs/gal	
Analytical VOC : (EPA method 24)	0 lbs/gal	
pH:	9.4-9.9	

Section 10. Stability and Reactivity

Stability: Stable.	Hazard Polymerization: Will not occur.
Conditions to Avoid:	Temperatures above 350 °F, the onset of polymer decomposition.
Incompatibility (Materials to Avoid):	None known.
Hazardous Decomposition Products:	Thermal decomposition may yield acrylic monomers and oxides of carbon.

Section 11. Toxicological Information

Acrylic polymer [proprietary]

Oral LD50 (rat) > 5,000 mg/kg Eye irritation (rabbit): inconsequential irritation
Dermal LD50 (rabbit) > 5,000 mg/kg Skin irritation (rabbit): practically non-irritating

The information above is based on the toxicity profiles for a number of acrylic emulsions that are compositionally similar to this product. [17-0,19,19,G,B,F -071798]

Section 12. Ecological Information

Section 13. Disposal Considerations

Waste Disposal Methods (Federal, State, Local):
In accordance with all federal, state and local requirements.

RCRA Hazardous Waste Number: N/A

Section 14. Transport Information

Hazardous Material Description:

(Proper shipping name, hazard class, hazard ID#, packing group)

Domestic ground non-bulk: NOT REGULATED

BOOTH COATING 1780 --

Domestic ground bulk: NOT REGULATED
International: NOT REGULATED

Section 15. Regulatory Information

SARA 313 Information This product contains the following chemical(s) above de minimis concentrations and may be subject to reporting under section 313:
None.

Section 16. Other Information

This MSDS contains revisions in the following sections: New product

Prepared by: Andrew J. Thomas Chemist

Revised by:

The development of this Material Safety Data Sheet (MSDS) relies upon information provided to us by each of our raw material suppliers. This MSDS will be updated as changes occur to their MSDS(s).
We believe the recommendations and technical information contained herein to be accurate. However, they are given without warranty or guarantee, expressed or implied, and we assume no responsibility for losses or damage, direct or indirect, as a result of their use.